

SAFETY DATA SHEET

Version: 3.0 Date: April 2024

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878,

and United States Regulation 29 CFR 1910

Section 1: Identification					
1.1	Product identifier Product Name	Ammoniasorb-Z			
	Product Code	Amsb-Z			
1.2	Relevant identified uses of the substance or mixture and uses advised against				
	Identified Use(s)	Gas-phase air filtration			
	Uses Advised Against	Do not use for applications other than those specified.			
1.3	Company Identification Details of the supplier of the safety data sheet	Pure Air Filtration, LLC 6050 Peachtree Parkway Suite 240-187 Atlanta, GA 30092 USA PureAir Filtration BV Tijnmuiden 79 1046 AK Amsterdam, The Netherlands			
	Telephone	+1 (678) 935-1431; Office Hours are Monday through Friday, 8:00AM to 5:00PM Eastern Standard Time			
	Fax	+1 (678) 935-0648			
	E-Mail	info@pureairfiltration.com			
1.4	Emergency Telephone Number	VelocityEHS 1-800-255-3924 (United States, Canada, Puerto Rico, U.S. Virgin Islands) +1-813-248-0585 (International, collect calls are accepted) 1-300-954-583 (Australia) 0-800-591-6042 (Brazil) 400-120-0751 (China) 000-800-100-4086 (India) 800-099-0731 (Mexico) The line is available 24 hours; in the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.			
	Language(s) spoken:	English			



Section 2: Hazard(s) Identification

2 1

Classification of the substance or mixture GHS-US and Regulation (EC) No. 1272/2008 (CLP) and most important Hazards

This media is classified as non-hazardous by the manufacturer for health effects as a mixture according to EU Directive 1999/45/EC with Xi; R36/37/38.

2.2

Label Element: According to Regulation (EC) No. 1272/2008 (CLP)			
Product Name: Ammoniasorb-Z			
Contains:	Zeolite, Phosphoric Acid		

Hazard Pictograms(s)



Signal Word(s) Warning

Hazard Statements H315: Causes Skin Irritation

H319 & H320: Causes Eye Irritation

Precautionary Statements P264: Wash hands thoroughly after handling.

P280: Wear protective gloves, protective clothing, and eye/face protection.

P303+P352: IF ON SKIN: Wash with plenty of soap and water. P332+P313: IF SKIN irritation occurs: Get medical advice/attention. P362: Take off contaminated clothing and wash before reuse

Supplemental Information

P401: Store in a cool, dry area in enclosed containers.

Other Hazards

- If crushed or handled extensively, dust may evolve and can be irritating to the eyes, skin, or respiratory tract.
- The following medical conditions may be aggravated by exposure to the products: asthma, chronic lung disease, and skin rashes.

2 3

Hazards not otherwise classified (HNOC) or not covered by GHS

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Section 3: Composition/Information on Ingredients

Chemical Name	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Zeolite	80-90%	12173-10-3	215-283-8	NA	Not Classified
Phosphoric Acid	5-15	7664-38-2	231-633-2	01-2119485924-24-XXXX	H290; H302; H313; H314

Note: For full text of H phrases see section 16.



Section 4: First-Aid Measures

4.1

Description of first aid measures

Self-protection of the first aider: Use personal protective equipment as required. Wear suitable protective clothing and gloves. Avoid contact with skin, eyes, or clothing. Do not breathe dust. Do not ingest. Take off contaminated clothing and wash before reuse.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Gently wash with plenty of soap and water. Call a doctor and/or poison control center.

IF IN EYES: Flush eyes with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. After rinsing affected eyes must be seen by an ophthalmologist. Call doctor and/or poison control center.

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a doctor and/or poison control center.

IF SWALLOWED: Do NOT induce vomiting. Do not give anything by mouth to an unconscious person. Immediately call a doctor and poison control center.

4.2

Most important symptoms and effects, both acute and delayed

See Section 11 for additional Toxicological information.

4.3

Indication of any immediate medical attention and special treatment needed

Notes to a physician: Treat symptomatically. IF IN EYES: Obtain prompt consultation, preferably from an ophthalmologist.

Section 5: Fire-Fighting Measures

5.1

Suitable extinguishing media

Extinguish with carbon dioxide, dry chemical, foam, or water spray. Alcohol resistant foams (ATC type) are preferred.

Unsuitable extinguishing media

Do not use water jets. Direct water jets may spread the fire.

5.2

Special protective equipment for firefighters

Fight fire with normal precautions from a reasonable distance. Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire.

5.3

Special Hazards arising from the substance or mixture

Product is not flammable nor explosive.

Section 6: Accidental Release

6.1

Personal precautions, Protective Equipment, and Emergency Procedures

Ensure operatives are trained to minimize exposure. Ensure suitable personal protection during removal of spillages. Use personal protective equipment as required. See Section 8. Wear suitable protective clothing, gloves and eye/face protection. Avoid all contact. Avoid dust formation. Take off contaminated clothing and wash before reuse. Ensure adequate ventilation. Do not breathe dust. Do not ingest. If swallowed, then seek immediate medical assistance. In case of leakage, eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking.

6.2

Environmental precautions

Collect spillage. Avoid release to environment.

6.3

Methods and material for containment and cleaning up

Small Spillages: Sweep up spilled substances and remove to safe place. Avoid dust generation.

Damp down to avoid dust generation.

YOUR WORLD LEADER IN THE REMOVAL OF GASES, ODORS, & VAPORS



Clean up using dry procedures (broom, shovel, etc.); avoid dusting. Do not mix with combustible material. Product may be recovered for use if it has not come in contact with liquid, changed color, or been exposed to significant amounts of gaseous contaminants.

6.4

Reference to other sections

See also Section 8, 13

Section 7: Handling and Storage

7.1

Precautions for safe handling

Ensure operators are trained to minimize exposures. Use personal protective equipment as required.

See Sectio 8. Wear suitable protective clothing, gloves, and eye/face protection. Avoid all contact. Ensure adequate ventilation. In case of inadequate ventilation wear respiratory protection. Do not eat, drink, or smoke when using this product. Wash hands before breaks and after work.

Not an oxidizer. Avoid contact with oxidizers.

7.2

Conditions for safe storage, including any incompatibilities.

Keep container tightly closed. Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources. Control dust formation. No smoking. Do not store together with strong oxidizing agents.

Storage Temperature

Keep only in the original container/package in a cool well-ventilated place. Should be stored inside, away from rainwater, etc.

Incompatible materials

Protect from moisture. Keep away from strong oxidizing substances. Product should be kept protected from water and exposure to contaminated air (gaseous, particulate, and aerosol contaminated), otherwise the product may be rendered useless.

7.3

Specific end use(s)

See Section 1.2.

Section 8: Exposure Controls / Personal Protection

8.1

Control Parameters Related to Substance

Inert or Nuisance Dust: 5 mg/m³ respirable fraction (OSHA PEL); 15 mg/m³ total dust (OSHA PEL)

Occupational Exposure Limits

Dust, or Particulates, Substance Not Otherwise Specified:

Austria MAK: 10 mg/m³, STEL 2x30 min, Inhalable dust; 5 mg/m³, TWA, Inhalable dust

Belgium: 10 mg/m³, TWA Inhalable; 3 mg/m³, TWA Respirable

Canada (Saskatchewan): 10 mg/m³, TWA Inhalable, 3 mg/m³, TWA, Respirable

China: 8 mg/m³, TWA; 10 mg/m³, STEL

France: 10 mg/m³ TWA Inhalable dust; 5 mg/m³, TWA Respirable dust

Germany - TRGS 900: 10 mg/m³, TWA, Inhalable; 3 mg/m³, Respirable fraction

Hong Kong: 10 mg/m³, TWA

Ireland PELs: 10 mg/m³, TWA Total inhalable; 4 mg/m³, TWA Respirable

Italy: 10 mg/m³, TWA Inhalable; 3 mg/m³, TWA Respirable

Japan: 3 mg/m³ TWA Respirable

Malaysia: 10 mg/m³, TWA Inhalable; 3 mg/m³, TWA Respirable

The Netherlands: 3.5 mg/m³, Inhalable

Spain: 10 mg/m³, VLA, Inhalable; 3 mg/m³, VLA, Respirable

Sweden: 10 mg/m³, NGV, Total inhalable; 5 mg/m³, NGV, Respirable

United Kingdom - WEL: 10 mg/m³, TWA, Total Inhalable dust; 4 mg/m³, TWA, Respirable dust

US ACGIH - PNOS: 10 mg/m³, TWA Inhalable; 3 mg/m³, TWA Respirable US OSHA - PEL: 15 mg/m³, TWA Total dust; 5 mg/m³, TWA Respirable

Biological Limit Value:

None Known

PNECs and DNELs

Not Applicable

YOUR WORLD LEADER IN THE REMOVAL OF GASES, ODORS, & VAPORS



8.2

Exposure Controls

Appropriate Engineering Controls

Ensure operators are trained to minimize exposures. Ensure adequate ventilation. In case of inadequate ventilation wear respiratory protection. Good hygiene practices and housekeeping measures. A washing facility/water for eye and skin cleaning purposes should be present. Preferably use engineering controls to keep exposures below the OEL or DNEL.

8.3

Environmental Exposure Controls

Prevent release to the environment.

8.4

Personal Protection Equipment (PPE)

Individual protection measures, such as personal protective equipment (PPE).

Use personal protective equipment as required. Wear suitable protective clothing, gloves, and eye/face protection. Keep good industrial hygiene. Do not breathe dust. Avoid all contact. Wash hands before breaks and after work. Keep work clothes separately. Take off contaminated clothing and wash before reuse. Do not eat, drink, or smoke at the workplace.

Eye / Face Protection	Hand & Skin Protection	Respiratory Protection	
Use eye protection according to EN 166, designed to protect against dust. For Small Quantities: Not Normally Required	Wear gloves to EN374 to protect against skin effects from powders. Wear suitable coveralls to prevent exposure to the skin.	Respiratory protective devices may be necessary if local exhaust ventilation is not adequate.	

Section 9: Physical and Chemical Properties

9.1

Basic physical and chemical properties

Physical state:Solid granulesColor:White to Off-white

Odor: No odor
Melting point/melting range: N/A
Boiling point/boiling range: N/A

Flammability: Not flammable Lower and upper explosion limits: Not explosive.

Flash point:

Auto ignition temperature:

N/A

Decomposition temperature:

N/A

pH:

N/A

Kinematic viscosity:

N/A

Solubility: Partially soluble in water

Partition coefficient n-octanol/water (log value): N/A Vapor pressure: N/A

Density and/or Relative density: No data available

Relative vapor density: N/A

Particle Characteristics: Median Particle Diameter 4mm

9.2

Other Information

Oxidizing Properties: Not an oxidizer

Section 10: Stability and Reactivity

10.1

Reactivity

Stable under normal conditions.

YOUR WORLD LEADER IN THE REMOVAL OF GASES, ODORS, & VAPORS



10.2

Chemical stability

Stable under normal conditions

10.3

Possibility of hazardous reactions

None under normal processing

10.4

Conditions to avoid

Dust formation. Protect from moisture, damage, high temperatures, and sunlight.

10.5

Incompatible materials

Strong oxidizing agents.

10.6

Hazardous decomposition products

Metal oxides.

Section 11: Toxicological Information

11.1

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity – Ingestion
Acute toxicity – Inhalation
Acute toxicity – Skin contact
Skin corrosion/irritation
Serious eye damage/irritation
Respiratory or skin sensitization
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT – single exposure
STOT – repeated exposure
Aspiration hazard

Expected to be low, not tested, the classification criteria are not met. Expected to be low, not tested, the classification criteria are not met. Expected to be low, not tested, the classification criteria are not met. Expected to be low, not tested. The classification criteria are not met. Expected to be low, not tested, the classification criteria are not met. Expected to be low, not tested, the classification criteria are not met. Expected to be low, not tested, the classification criteria are not met. Expected to be low, not tested, the classification criteria are not met. Expected to be low, not tested, the classification criteria are not met. Expected to be low, not tested, the classification criteria are not met. Expected to be low, not tested, the classification criteria are not met. Expected to be low, not tested, the classification criteria are not met. Expected to be low, not tested, the classification criteria are not met.

11.2

Information on other hazards

Endocrine disrupting properties: No substances identified as having endocrine-disrupting properties.

Other information: No data available.

Section 12: Ecological Information

12.1

Toxicity: Nontoxic. The substance is highly insoluble in water and the substance is unlikely to cross biological membranes. No adverse ecological effects are known.

12.2

Persistence and degradability: No data for the mixture as a whole.

12.3

Bioaccumulation: No data for the mixture as a whole.

12.4

Mobility in soil: No data for the mixture as a whole.

12.5

Results of PBT and vPvB Assessment: The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6

Endocrine Disrupting Properties: No substances identified as having endocrine-disrupting properties.

12.7

Other Adverse Effects



None Known.

Section 13: Disposal Considerations

13.1

Waste Disposal Methods

Dispose of wastes in an approved waste disposal facility. Product does not typically have restrictions on disposal. Consult your local municipality for any disposal requirement.

Section 14: Transport Information

14.1

Transportation Information

	ADR/RID/DOT	IMDG	IATA/ICAO
UN Number or ID Number	None	None	None
UN Proper Shipping Name	Aluminosilicate	Aluminosilicate	Aluminosilicate
Transport Hazard Class(es)	None	None	None
Packing Group	None	None	None
Environmental Hazards	No	No	No
Special Precautions for User			

14.2

Maritime transport in bulk according to IMO instruments

Not regulated.

14.3

Additional information

None

Section 15: Regulatory Information

15.1

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

SARA Section 312 (hazard category): (40CFR370.2): Only expected as Acute (eye irritant), see Section 11 TOXICOLOGICAL INFORMATION.

EU Regulations

Not restricted for the intended use(s) of the product. Just note for classifications and labelling that it is an Xi-irritant.

CoRAP Substance Evaluation

N/A

Other National Regulations

Other Not Known. California Proposition 65 – Product does not contain known substances to cause cancer or reproductive harm.

15.2

Chemical Safety Assessment

A chemical safety assessment is not required under REACH.



Section 16: Other Information

The following sections contain revisions or new statements: Updated substance / mixture classification. New SDS Regulation 2020/878 format, all sections have been updated to include new information. Please review SDS with care.

References: Existing Safety Data Sheet (SDS) Substance with harmonized classification and labelling according to Regulation (EC) No. 1272/2008, Annex VI.

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

16.1

Full list of Hazard Classification and Hazard Statements

Skin Irrit. 2: Skin Irritation, Category 2 Eye Irrit. 2: Eye irritation, Category 2 Corrosive to Metals Category 1

Acute Tox. 4 (oral): Acute Toxicity, Oral, Category 4
Acute Tox.5 (dermal): Acute Toxicity, Dermal, Category 5

Skin Corr. 1B: Skin corrosion, Category 1B Eye Dam. 1: Eye damage, Category 1

H315: Causes skin damage.

H319 and H320: Causes eye damage. H290: May be corrosive to metals.

H302 Harmful if swallowed.

H313: May be harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

16.2

LEGEND for acronyms used in this SDS / MSDS

ADR ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road CLP

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

CORAP Community Rolling Action Plan (CoRAP)

DNEL Derived no effect level

EC50 Half maximal effective concentration

IATA
IATA: International Air Transport Association
ICAO
ICAO: International Civil Aviation Organization
IMDG: International Maritime Dangerous Goods

LC50 Lethal concentration at which 50% of the population is killed

LD50 Lethal dose at which 50% of the population is killed

LTEL Long term exposure limit
OEL Occupational exposure limits

PBT: Persistent, Bio accumulative and Toxic

PNEC Predicted No Effect Concentration

REACH Registration, Evaluation, Authorization and Restriction of Chemicals

RID: Regulations concerning the international railway transport of dangerous goods STEL Short term exposure

limit

vPvB vPvB: very Persistent and very Bioaccumulative.

Training advice:

Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to users is believed to be accurate and is given in good faith, but it is for the users to satisfy themselves of the suitability of the product for their own particular purpose. Pure Air Filtration, LLC. Gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Pure Air Filtration accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright, and Designs cannot be assumed.